

SL-150KGKT DATA SHEET


 SPEC. NO.
 :
 SZ13092502

 DATE
 :
 2019/8/3

 REV.
 A/1

Approved By: Checked By: Prepared By:

Part No.	SL-150KGKT		Page	1 of 8
----------	------------	--	------	--------





LIGHT ELECTRONICS CO., LTD.



Electrical Optical Characteristics at Ta=25

Parameter	Symbol		Min.	Тур.	Max.	Unit	Test Condition	
		M	18.0		28.0	mcd		
Luminous Intensity	Iv	N	28.0		45.0		I _F =20mA (Note 1)	
		P	45.0		71.0			
	1/2			130		Deg.	(Note 2)	
							_F =20mA	
		С	567.5		570.5			
		D	570.5		573.5	nm	I _F =20mA	
		Е	573.5		576.5			
Spectral Line Half-Width				15		nm	I _F =20mA	
	$ m ge$ $ m V_F$	4	1.9		2.0	V	I _F =20mA	
		5	2.0		2.1			
Forward Voltage		6	2.1		2.2			
		7	2.2		2.3			
		8	2.3		2.4			
Reverse Current	I_R				10	μΑ	V _R =5V	

Note:


3.

- 1. Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve. Tolerance of Luminous Intensity: $\pm 15\%$.
- 2. $_{1/2}$ is the off-axis angle at which the luminous intensity is half the axial luminous intensity.

single wavelength which defines the color of the device. Tolerance of Dominant Wavelength: ± 1.0 nm.


4. Tolerance of Forward Voltage: ± 0.1 V.

Part No.	SL-150KGKT	Page	4 of 8
----------	------------	------	--------




LIGHT ELECTRONICS CO., LTD.









- 1. Reflow soldering should not be done more than two times.
- 2. When soldering, do not put stress on the LEDs during heating.


Soldering iron

- 1. When hand soldering, the temperature of the iron must less than 300°C for 3 seconds.
- 2. The hand solder should be done only once.

Repairing

pot be done after the LEDs have been soldered. When renairing is unavoidable, a

whether the characteristics of LEDs will or will not be damaged by repairing.



Part No. | SL-150KGKT | Page | 8 of 8