



SL-150KGKT DATA SHEET

 SPEC. NO.
 :
 SZ13092502

 DATE
 :
 2019/8/3

 REV.
 A/1

Approved By:

Checked By:

Prepared By:

 Part No.
 SL-150KGKT
 Page
 1 of 8

 LG-QR-R009-01
 LG-QR-R009-01
 LG-QR-R009-01





Electrical Optical Characteristics at Ta=25

Parameter	Symbol		Min.	Тур.	Max.	Unit	Test Condition	
		М	18.0		28.0		I _F =20mA (Note 1)	
Luminous Intensity	Iv	N	28.0		45.0	mcd		
		Р	45.0		71.0			
	1/2			130		Deg.	(Note 2)	
							_F =20mA	
		С	567.5		570.5	nm	I _F =20mA	
		D	570.5		573.5			
		Е	573.5		576.5			
Spectral Line Half-Width				15		nm	I _F =20mA	
Forward Voltage	V _F	4	1.9		2.0	V		
		5	2.0		2.1		I _F =20mA	
		6	2.1		2.2			
		7	2.2		2.3			
		8	2.3		2.4			
Reverse Current	I _R				10	μA	V _R =5V	

Note:

1. Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve. Tolerance of Luminous Intensity: $\pm 15\%$.

2. $_{1/2}$ is the off-axis angle at which the luminous intensity is half the axial luminous intensity.

3.


single wavelength which defines the color of the device. Tolerance of Dominant Wavelength: ± 1.0 nm.

4. Tolerance of Forward Voltage: ± 0.1 V.

	Part No.	SL-150KGKT	Page	5 of 8
--	----------	------------	------	--------








т тлит





- 1. Reflow soldering should not be done more than two times.
- 2. When soldering, do not put stress on the LEDs during heating.

Soldering iron

- 1. When hand soldering, the temperature of the iron must less than 300° C for 3 seconds.
- 2. The hand solder should be done only once.

Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of LEDs will or will not be damaged by repairing.

